

Instructions

- An aggregate licence is required to extract aggregate from private land in areas of Ontario that are designated under the *Aggregate Resources Act* (ARA).
- An aggregate permit is required for aggregate/topsoil extraction on Crown land or where the Crown owns the aggregate, and all extraction from under the bed of a lake or river. All Crown land in Ontario is subject to the ARA.
- A wayside permit is required to extract aggregate for temporary road construction or road maintenance projects by Public Authorities, or their agents.
- There are two Classes of aggregate licences. A "Class A" Licence is required for operations that will remove more than 20,000 tonnes of aggregate from the site annually. A "Class B" Licence is required for operations that will remove 20,000 tonnes of aggregate or less annually.
- Aggregate permit application requirements are determined by the proposed tonnage limit. An aggregate permit application may propose 20,000 tonnes or less of aggregate will be removed from the site annually, or a number greater than 20,000 tonnes.
- Application requirements can be found in both [Ontario Regulation 244/97](#) under the ARA and the [Aggregate Resources of Ontario Provincial Standards](#).
- These requirements include submitting a Site Plan, Summary Statement, Maximum Predicted Water Table Report, Water Report (if proposing to extract below the water table), Natural Environment Report, Cultural Heritage Report, Agricultural Impact Assessment Report (if applicable), Noise Assessment Report (if applicable) and Blast Design Report (if applicable).
- An application fee applies and is identified in [Ontario Regulation 244/97](#). Cheques payable to the Minister of Finance can be mailed to: Integrated Aggregate Operations Section, Ministry of Natural Resources and Forestry, 300 Water Street, Peterborough, ON K9J 3C7.
- For more information on how to apply please visit www.ontario.ca/aggregates.

Submission of Form

Submit this form and application documents online using the [Natural Resources Information Portal](#), or if web access is unavailable, by mail to the Integrated Aggregate Operations Section, Ministry of Natural Resources and Forestry, 300 Water Street, Peterborough ON K9J 3C7.

Notice of Collection and Use

Personal Information is collected by MNRF, under the authority of the *Aggregate Resources Act* and Ontario Regulation 244/97 and will be used for data administration, analysis and aggregate resources program management, including communication and audit/enforcement purposes. Personal information will only be disclosed in compliance with *Freedom of Information and Protection of Privacy Act* or as required by law. If you have any questions about the collection and use of your personal information, please contact Ministry of Natural Resources and Forestry, Natural Resources Information and Support Centre (NRISC), 300 Water Street, Peterborough ON K9J 3C7, Toll free: 1-800-667-1940.

1. Applicant

Company/Individual Name
R.W. Tomlinson Ltd.

Contact Name
Craig Bellinger

Current Mailing Address

Unit Number	Street Number 100	Street Name Citigate Drive	PO Box
City/Town Ottawa	Province Ontario		Postal Code K2J 6K7
Telephone Number 613-690-3262	ext.	Mobile Number 613-913-0658	Email Address cbellinger@tomlinsongroup.com

2. Type of Application

- "Class A" Aggregate Licence (greater than 20,000 tonnes per year)
- "Class B" Aggregate Licence (20,000 tonnes or less per year)
- Aggregate Permit (greater than 20,000 tonnes per year)
- Aggregate Permit (20,000 tonnes or less per year)
- Aggregate Permit to Extract from Under the Bed of a Lake or River
- Wayside Permit for Public Authority Contracts

HST Registration Number _____ Public Authority Contract Number _____

Type of Operation (select all that apply)

- Pit Quarry

Is this aggregate application proposing extraction below the maximum predicted water table?

- Yes No

Type of material to be removed (select all that apply)

- Sand and Gravel
- Crushed Stone
- Dimensional Stone
- Clay
- Other _____

Total Area of Licence / Permit proposed is 121.7 hectares

Total Extraction Area proposed is 108.7 hectares

Proposed quantity of aggregate to be removed is 3,000,000 tonnes per year

Will the proposed maximum annual tonnage limit stated above be combined with the tonnage of one or more existing, approved sites?

- Yes No

Enter the existing licence/permit number(s) that will require amendments.

Licence/Permit Number 39958	Licence/Permit Number	Licence/Permit Number
--------------------------------	-----------------------	-----------------------

3. Location of Application Site

Lot Part Lots 14,15,16	Concession 11	Geographic Township Goulbourn
Local Municipality Ottawa	County/Region	
Territorial District	Street Address 635 and 891 Jinkinson Road	

Universal Transverse Mercator (UTM)

Location coordinates for the main corners of the application site


Datum NAD 83	Northing 5010214	Easting 423365	UTM Zone 18
Datum NAD 83	Northing 5009088	Easting 424311	UTM Zone 18
Datum NAD 83	Northing 5008480	Easting 423611	UTM Zone 18
Datum NAD 83	Northing 5009065	Easting 423119	UTM Zone 18
Datum NAD 83	Northing 5009931	Easting 423049	UTM Zone 18

4. Signature

Name and Title of Signing Officer

Rob Pierce Sr. Vice President

Signature of Applicant



Date (yyyy/mm/dd)

2023/11/14